

То:	Tyler Bessette	From:	Janet Townsend
Company:	Ashcroft, Inc.	Phone:	416-747-4291
Pages:	7	Location:	Toronto
Our File:	ANR-5375	Date:	May 28, 2019

Your File: N/A

## **Subject:** Request for Design Registration

Dear Tyler

CSA has reviewed the documentation submitted by Ashcroft, Inc. . . These fittings have been registered by CSA for the Province of Québec. In accordance with an agreement between CSA, the Provinces of Québec and Saskatchewan; this registration is recognized by Quebec and Saskatchewan. These fittings are acceptable for use in these Provinces.

The letters CSA will be applied as a prefix to the CRN indicate which fittings have been registered in this manner. A copy of the stamped Statutory Declaration is attached.

The CRN is CSA-0F2462.56ADD7.

A copy of the Statutory Declaration with an original stamp affixed will be forwarded to you along with our invoice by regular mail.

Yours truly,

**Janet Townsend**Program Manager
CSA Group

178 Rexdale Blvd. Toronto, ON, M9W 1R3 Canada

www.csagroup.org





		Y DECLARATION ation of Fittings	
1. Philip Reed	Quality Assurance M	on the males (floague)	
1,		nt, Plant Manager, Chief Engineer)	
of Ashcroft, Inc			
OI ASSESSED IN THE	(Name of I	Aanulacturer)	
Language Contract Co	THE RESERVE TO THE PROPERTY OF	(The 1881 1891 1990 005 0040	500 055 0000
Located at 250 Main St	(Plant Address)	203-385-0318 (Telephone No.)	203-385-0662 (Fax No.)
	that the fittings listed hereunder, whic is Regulation, comply with all of the r		ndards and Safety Act, Boilers
which assails the di-	(Title of recognized Normanismons, materials of construction, press		and the Eucline of the Eucline
pressure/temperature	the provisions of a recognized North as supported by the ratings and the basis for such ratings, nufacture of these fittings is controlled as been verified by the following authority,	attached data which identifies the dirr the marking of the litting for identific by a quality system meeting the req	nensions, material of construction, cation and service.  uirements of ISO 9001:2008
	as been veniled by the following authority, aration, for which I seek registration, are o		type fittings. In support of
•	arauch, for which it seek registration, are d formation and/or test data are attached as		type illungs. In support of
	-003, labels per Ashcroft drawing 182E		
	(drawings, calculation	ons, lest reports, etc.)	
Declared before me at	trad ford	in the State	or Connecticut
the <u>5</u> da	y of November AD 20 18		
Commissioner for Oaths:  Jeunette Be (Printed na (Signature)	My mission My mission	E BEDNARZ RY PUBLIC Connect out Expires July 31, 2019 (Signatu	re of Declarer)
	FOR OFFIC	E USE ONLY	.2.3
Technical Standards and S.	and belief, the application meets the rec afety Act, Boilers and Pressure Vessels epted for registration in Category	uirements of the	
**	OF2462.56ADDT		(1) 5462.56ADD7
	y · 27 · 2019  Expires on: July · 12 · 2	Registration Proce	ess administered by

PV 09553 (06/16)

Note:

1. See attachment as the scope of registration

2. Additional registration, in which only Scope of registration is update without design change;

2. The ball and a registration of the previous registration.





345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel: 416 734 3300 Fax: 416 231 1626 Toll Free: 1.877 682 8772

www.bsea.org

January 31, 2019

TYLER BESSETTE ASHCROFT INC. 250 E MAIN STREET STRATFORD CT 06614 US

Service Request Type: BPV-Fitting Registration

Service Request No.: 2438574

Your Reference No.: CRN# 0F2462.5 ADD6 update

Registered to: ASHCROFT INC.

Dear TYLER BESSETTE,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.:

0F2462.5ADD7

Main Design No.:

DOCUMENT: PRP01-PS-BLG REV. 0, DCR01-PS REV. 0

Expiry Date:

12-Jul-2028

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

Note:

ADD7: To add B-Series, L-Series, G-series and P-Series Pressure Switch Family only per updated Scope of Registration, SOR-TD-003.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Norman Ng-

Norman Ngai, P. Eng. Mechanical Engineer Boilers and Pressure Vessels Safety Program

Tel.: 416-734-3557 Fax: 416-231-6183 Email: nngai@tssa.org

www.tssa.org

ATTACHMENT TO

C.R.N.SA-OFWAW-16AOD7

Signed: Obligation of Control of Canada M9W 1R3



Ashcroft Catalogues	("X" = ANY) ("#" = psi)	embient Temperature (psi)	Design Tamp. (+F)	Sensor Material	Process Connection Material
B.S. de Street Pro.	T2-7-MXX-XX-130#-500#)-G-XXX	200			
Model 12 Pressure Transducer	T2-7-MXX-XX-(750#-3000#)-G-XXX	3000			
	T2-7-MXX-XX-(5000#-7500#)-G-XXX	7500	)		
	G2-7-MXX-XX-(30#-500#)-G-XXX	200	257		
mount of Pressure Hansoucer	G2-7-MXX-XX-XX-(7504-3006#)-G-XXX	3000		17.4 PH 11NS S17400 CA.584	200 000 000 000 000
	G2-7-HXX-XX-XX(5000#-7500#)-G-XXX	7500		[We 630	54-182, 54-182, 54-182, 54-182, 54-182, 54-182,
Model CS4 Demanhin Deman Town	GC51-7-XXX-XX-XX+50#-600#-XXX	200			n Fron
mount of hangeaus riessare harsmale	GC51-7-XXX-XX-XX-(750#-3000#)-XXX	3000	140		
Marie Cost that the Distance Des	GC51-7-XXX-XX-XX-5000#-7500# -XXX	7500			
was even mermer parental reason in Tansdocer	GC55-7-XXX-XX-(75#-300#)-XXX	200	120		
	K1-X-XXX-XX-XX-158-300#)-XXX	300			
Model K.I. Pressure Transqueer	K1-X-XXX-XX-XX-(301#-3000#)-XXX	3000			
	K1-X-XXX-XX-XX-(3001#-5000#)-XXX	2000			
	K2-X-XXX-XX-XX-(15#-300#)-XXX	300	180		
MOUGH NZ PTESSURE   FBASCHDEF	K2-X-XXX-XX-XX-(301#-3000#)-XXX	3000			
2002	K2-X-XXX-XX-XX-13001#-5000#-XXX	5000			
Mudel No l'Tessure i l'arisoucer	K8-X-XXX-MV-XX-(15# - 5000#)	15 to 5000	180	174 PH, UNS S 7400, SA-564,	
Tymes 2074 - 2170 R 2274 Division Individual Comment	45-2XXX-SD-02L-15#-300#	300		063 edy)	Ster this course of the
The solition of the bulleting in the solition of the solition	45-2XXX-SD-02L-600#-3000#	3000		TO .	310L, UNS 3310UJ, SA-182, SA-240,
	45-2XXX-SD-02L-3001#-5000#	2000	;	316E, UNS 531603, SA-182, SA-	244/g
Tybe D1005PS General Primova Divisal Cours	Z5-D1005-02L-15#-300#	300	<del>1</del>	240, SA-478	
Santa india mode inches	23-U1003-02L-301#-3000#	3000			
	ייייי ו חבר-בית המתחול	2000	10		
N. Series Flactonair Pressure Cuitch	NPX-NX-X-X-S0X-XEA-15#-300#	300			130
	NPX-KX-X-X-80X-XEA-500#-3000#	3000	180		
	MFX-HX-X-X-50X-XEA-5000#	2000		61	
	Az-X-X-XX-XX-(15#-300#)-X-XXX	300		2480 LINIC COACOO CA AND DA	
	A2-X-X-XX-XX-XX-115#-1000#1X-XXX	1000		240. SA479	Q.
Model A2 Heavy Industrial Pressure Transmitter	A2-X-X-XXX-XX-(15#-10060#)-X-XXX	10000		17-4 PH, UNS S17400, SA-564,	- 50
	A2-X-X-XX-XX-XX-(5000E-10000ELX-XXX	00001	6	hpe 630	
	A2-X-X-XXX-XX-(15#-300#)-X-XXX	DOOD!	257	Incoloy, A 638, S66286	
	(piezo-resistive)	300		316L, UNS 531603, SA-182, SA-	316L, UNS 531603, SA-182, SA-240,
Model A2X ExplosionFishe Proof Pressure Transmisso	A2X-X-XXX-XX-(156-1000s)-X-XXX	1000		240, SA-479	CA+73
Printer of the Control of the Contro	A2X-X-X-XXX-XX-(15#-10000#)-X-XXX	10000		17-4 PH, UNS S17400, SA-564,	
	A2X-X-XXX-XX-XX-(5000g-10000g)-X-XXX	10000		type 630	
	A4-X-XXX-XX-XX-(15#-309#)-X-XXX	Occupa		Incoloy, A 638, S66286	
2700	(piezo-rasistiva)	300		316L, UNS S31603, SA-182, SA-	
Model At Intinsically Safe for the model and Pressure Transmiter	A4-X-X-XXX-XX-(15#-1000#)-X-XXX	1000	915	240, 54-479	Continues of the state of the s
	A4X-X-XXX-XX-(15#-10000#)-X-XXX	10000	257	17-4 PH, UNS S17400, SA-584	PART OF
	A4-X-X-XXX-XX-XX-(5000#-10000#)-X-XXX	10000		Manager A Page Proposer	CAGA 5725 AB

Page 1 of 2

CRNCS+ OFWAD. ( 6ADD)

T78 Residate Bootevard, Toronto, ON Canada M9W 1R3

Signed affer and

DEC. 31,2019



Updated Scope of Registration: SOR-TD-003. Code of Construction ASME B31.3

Ashcroff Catalogues	Catalogue Part Number ("X" = ANY) ("#" = psi)	Design Pressure @ ambient Temperature	Design Temp.	Sensor Material	Process Connection Material
	30-20XX-SD-02L-(15#-100#)	100	140		ALTHUR DOLLANDS OF THE
Types 2089, 2086 & 2084 Precision Digital Test Gauge	30-20XX-SD-92L-(160#-500#)	200	R	316L, UNS S31603, SA-182, SA-	310L, UNS SS1603, SA-182, SA-240, SA-479
	30-20XX-SD-021-(690#-3000#)	3000		240, SA 479	
	DX-X-X-X-XX—X-(15# - 300#)-X (piezo-resistive)	300	160	316L, UNS S31603, SA-182, SA- 240, SA-470	
Digital Gauge Family	DX-X-X-X-X-X-X-(15# -1000#)-X	1000	160	316L, UNS S31603, SA-182, SA-	
טלאט, טונאט, טונאט, טונאט, טונאט,	DX-X-X-X-X-X-(15# - 25000#)-X	25000	160	17-4 PH, UNS S17400, SA-564, https://doi.org/10.1001/j.j.j.j.j.j.j.j.j.j.j.j.j.j.j.j.j.j.j.	
	DX-X-X-X-X-X-X-(5000# - 10000#)-X	10000	199	Incoloy, A 638, S66286	
B-Series, Pressure Switch Family	BX-XXCX-XXXX-(30#-3000#) DX-XXCX-XXXX-(30#-3000#)	3000	300	Buna N., Viton, Monel. 316, 316L, Monel	A182 F316L, A240 3168, A240, 304, B564 N06022, B575 M06022, B564
L-Series, G-Series, Pressure Switch Fattally	GXX-NX-XX-X-XX-XXX-(30#-3000#) LXX-NX-XX-XX-XXX-(30#-3000#)	3000	300	Buna N , Viton, Monel, 316, 316L.	N10276, B575 N10276
P-Series , Pressure Switch Family	PXX-NX-XX-XX-XXX-(30#-3000#)	3000	300	Buna N., Viton, Monel. 316, 316L,	
Notes.				Mone	

[1] Consult with manufacturer before use and for most up-to-date information. See catalogue for process connection sizes. [2] MDMT: S30400 & S31603 is -40 °F; S17400 & A564 Type 630 is 0°F

Signature. 1949 a Rud Philip A. Reed Approved by: \_\_

Date Signed:

**ATTACHMENT TO** 

CRN. 254-07-146

Signed Characa

Markenshie Bookman Toronto, ON Canada Many 1932 - ADD 7 = To ADD 8-162165, L-562165, G-567125 AND

366.31.2019

TELLIC VCS. N.N.

Epilera 0

FIN OF 24 62.5 4007 and the second of the second o

P- SCRIES PRESSURE SWITCH FOLLILY ANLY.

N.y. DEC. 31, 2019.

Page 2 of 2



## Certificate of Approval

This is to certify that the Management System of:

Ashcroft, Inc.

250 East Main Street, Stratford, CT, 06614, United States

has been approved by LRQA to the following standards:

ISO 9001:2015

Chris Koci - Business Director - Certification Issued by: Lloyd's Register Quality Assurance, Inc.

Current issue date: 7 August 2018
Expiry date: 31 January 2021

Certificate identity number: 10115508

Original approval(s):

ISO 9001 - 11 January 1994

Approval number(s): ISO 9001 - 0011501

The scope of this approval is applicable to:

Design and Manufacture of Pressure and Temperature Calibration and Measurement Equipment. Distribution of Pressure and Temperature Measurement Equipment Sourced Globally.



178 Rexdale Blvd. Toronto, Ontario Canada M9W 1R3 Tel: (416) 747-4000 www.csagroup.org



March 2017

## <u>CRN – Canadian Registration Numbers - Saskatchewan</u>

The Province of Saskatchewan participates with Quebec and the Canadian Standards Association (CSA Group) for the registrations of "Fittings".

Per an agreement with CSA Group in April 1998, Saskatchewan recognizes registrations done by CSA Group and accepts such fittings for use in Saskatchewan.

The letters "CSA" are applied as a prefix to the CRN to indicate which "Fittings" have been registered in this manner. You should inform your clients of this additional marking requirement and that "Fittings" registered by CSA Group are accepted for use in Saskatchewan Canada.